SECTION D

INDEX TO VOLUME 22

Authors

Battle, H. I.—The embryology of the Atlantic salmon (Salmo salar Linnaeus), 105.

Berkeley, C.—See Berkeley, E.

Berkeley, E. and Berkeley, C.—Polychaeta from the western Canadian Arctic region, 1.

Brown, J. H.—The spotted fever and other Albertan ticks, 36.

Cameron, T. W. M.—The morphology, taxonomy, and life history of Metorchis conjunctus (Cobbold, 1860), 6.

Choquette, L. P. E. and Swales, W. E.—Studies on factors influencing the health of pigs. II. The incidence of the roundworm (Ascaris lumbricoides) in pure-bred bacon pigs in Canada, with observations on age of susceptibility and effects on growth, 53.

Glenny, F. H.—A systematic study of the main arteries in the region of the heart.
Aves VIII. Anseriformes, Part I, 17.
Aves XXIII. Passeriformes (Compsothlypidae), 126.

McLeod, W. S.—Further refinement of a technique for testing contact insecticides, 87.

Moore, J. E.—See Rawson, D. S.

Munro, J. A.—Studies of waterfowl in British Columbia. Pintail, 60.

Rawson, D. S. and Moore, J. E.—The saline lakes of Saskatchewan, 141.

Swales, W. E.—On the chemotherapy of caecal coccidiosis (Eimeria tenella) of chickens, 131.

Swales, W. E.—See Choquette, L. P. E.

SECTION D

INDEX TO VOLUME 22

Subjects

Age of susceptibility to roundworm in pigs, 53.

2-(*p*-Aminobenzenesulphonamido)-4, 6-dimethylpyrimidine, Use of in treatment of caecal coccidiosus in chickens, 133.

Amnicola limosa porata, first intermediate host of the trematode, Metorchis conjunctus, 12.

Anseriformes, See under Birds.

Arachnids, See Ticks.

Arctic, Western Canadian, Polychaeta from, 1.

Arteries, Main, in the region of the heart in birds
Anseriformes, 17.
Passeriformes (Compsothlypidae), 126.

Ascariasis, See Ascaris.

Ascaris lumbricoides, Incidence of, in pigs, with observations on susceptibility and effects on growth, 53.

Aves, See Birds.

Bacon pigs, See Pigs.

Birds
Anseriformes, Arrangement-patterns of the arteries in the neck and thorax of species of, 17.
Passeriformes (Compsothlypidae), Arrangement-patterns of the arteries in the neck and thorax of 10 species of, 126.
Pintail, in British Columbia, 60.

Catostomus commersonii, Second intermediate host of the trematode, Metorchis conjunctus, 12.

Chemotherapy, See Coccidiosus.

Chickens, See Coccidiosus.

Coccidiosus, Caecal, of chickens, Chemotherapy of, 131.

Compsothlypidae, See Birds (Passeriformes).

Dafila acuta (pintail) in British Columbia, 60.

Dermacentor
albipictus, See Ticks (Moose).
andersoni, See Ticks (Spotted fever).
variabilis, See Ticks (Dog).

Dermacentroxenus rickettsi, Description of the tick that bears, in Alberta, 37.

Drosophila melanogaster, test animal used in tests on contact insecticides, 87.

Eimeria tenella in chickens, Chemotherapy of, 131.

Embryology of the Atlantic salmon, 105.

Fauna of the saline lakes of Saskatchewan, 172, 177, 187.

Fish
of the saline lakes of Saskatchewan, 187.
See Salmon and Sucker.

Flies, See Drosophila.

Flora of the saline lakes of Saskatchewan, 164, 171.

Glyphonostomum pallescens, Description of some unrecorded characters of, 3.

Growth
of Atlantic salmon, Early states in, 105.
of pigs, Effect of roundworm infection on, 56.

Haemaphysalis
cinnabarina, See Ticks (Birds).
leporis-palustris, See Ticks (Rabbit).

Health of pigs, See Pigs.

Heart
Main arteries in the region of the, in birds
Anseriformes, 17.
Passeriformes (Compsothlypidae), 126.

Insecticides, Contact, Refinement of a technique for testing, 87.

Insects, See Drosophila.

Ixodes ringi, marmoti, pratti, and sculptus, See Ticks (Spinose ear).

Lakes, Saline, of Saskatchewan
As a biological environment, 194.
Bottom fauna of, 177.
Composition of the waters of, 152.
Fish of, 187.
Higher plants of, 171.
Names of, 145.
Oxygen content of, 157.
Physiography of the region of the, 142.
Phytoplankton of, 164.
Salinity changes in, 148.
Temperature of, 157.
Transparency of, 163.
Zooplankton of, 172.

Life history of Metorchis conjunctus, 12.

Metorchis conjunctus
Life history of, 12.
Morphology of, 7.
Taxonomy of, 10.

Morphology of Metorchis conjunctus, 7.

Mortality of Atlantic salmon in early stages of development, 122.

Nicotine sulphate, Use of, in testing insecticides, 87.

Ornithodoros megnini, See Ticks (Spinose ear).

Otobius lagophilus, See Ticks (Spinose ear).

Passeriformes, See under Birds.

Pasteurella tularensis, Description of a tick that bears, in Alberta, 37.

Phytoplankton of the saline lakes of Saskatchewan, 164.

Pigs, Incidence of the roundworm in, with observations on age of susceptibility and effects on growth, 53.

Pintail in British Columbia, 60.

Pisces, See Fish.

Plankton, See Phytoplankton and Zooplankton.

Plants, Higher, in the saline lakes of Saskatchewan, 171.

Polychaeta
A new species of, from the Western Canadian Arctic, 3.
Records of, from the Western Canadian Arctic, 1.
See also Glyphonostomum.

Roundworm in pigs, Incidence of, with observations on age of susceptibility and effects on growth, 53.

Saline lakes of Saskatchewan, See Lakes.

Salmon, Embryology of, 105.

Salmo salar, See Salmon.

Snails, See Amnicola.

Sphaerodorum biserialis, new species from the Western Canadian Arctic, 3.

Spotted fever ticks in Alberta, See under Ticks.

Suckers, Second intermediate host of the trematode, Metorchis conjunctus, 12.

Sulfamerazine, Use of, in treatment of caecal coccidiosus in chickens, 136.

Sulphadimethylpyrimidine, Use of, in treatment of caecal coccidiosus in chickens, 133.

Sulphamezathine, Use of, in treatment of caecal coccidiosus in chickens, 133.

2-Sulphanilamido-4-methylpyrimidine, Use of, in treatment of caecal coccidiosus in chickens, 136.

Susceptibility of pigs to roundworm infection, Relation of age to, 55.

Taxonomy of Metorchis conjunctus, 10.

Technique for testing contact insecticides, Refinement of, 87.

Ticks
Bird, in Alberta, 49.
Dog, Absence of, in Alberta, 50.
Moose, in Alberta, 48.
Rabbit, in Alberta, 48.
Rocky Mountain spotted fever, See Ticks (Spotted fever).

Ticks—*concluded*
Spinose ear, Species of, found in Alberta, 49.
Spotted fever, in Alberta
Activity of, 44.
Areas infested by, 39.
Carrier of organisms causing spotted fever and tularaemia, 47.
Description of, 37.
Ecology of, 45.
Habits of, 39.
Life history of, 37.

Trematodes, See Metorchis conjunctus.

Tularaemia, Description of a tick bearing the causative organism of, in Alberta, 37.

Waterfowl in British Columbia, Study of pintail, 60.

Western Canadian Arctic, Polychaeta from, 1.

Zooplankton of the saline lakes of Saskatchewan, 172.